

To: Hoppe, Michael[Hoppe.Michael@epa.gov]; Vaughn, Stephanie[Vaughn.Stephanie@epa.gov]
Cc: BudneySL@cdmsmith.com[BudneySL@cdmsmith.com];
kirchnersf@cdmsmith.com[kirchnersf@cdmsmith.com];
Gary.Foster@CH2M.com[Gary.Foster@CH2M.com];
Roger.McCready@CH2M.com[Roger.McCready@CH2M.com]; John Rolfe[jrolfe@demaximis.com];
Willard Potter[otto@demaximis.com]; Robert Law[rlaw@demaximis.com]
From: Stan Kaczmarek
Sent: Thur 7/11/2013 1:07:07 PM
Subject: Revised Perimeter Air Monitoring Plan (PAMP)
[20130703 PAMP EPA RTCs for dmi review.docx](#)
[Draft RM10_9 Perimeter AirMonitoring Program RLSO_20130710.docx](#)
[Draft RM10_9 Perimeter AirMonitoring Program Clean20130710.docx](#)
[Draft RM10_9 Perimeter Air Monitoring Program Clean20130710.pdf](#)

Mike, Stephanie, et al.

Attached are:

- A Response to Comments (RTC) document covering EPA comments on the Perimeter Air Monitoring Plan (PAMP) received June 12 and 14
 - Additional RTCs responding to earlier EPA and NJDEP comments were provided to you in a June 11 email
- 3 versions of the revised draft PAMP's main text
 1. Clean version in Word Format
 2. Red Line Strike Out (RLSO) version, and
 3. PDF of main text

Later today CH2M-Hill will upload to the EPA SharePoint site a PDF version of the complete PAMP containing all of the attachments such as descriptions of the air monitoring equipment and laboratory SOPs which make that file too large to transmit by e-mail.

Please contact Bill Potter, Rob Law or me if you have any questions.

Stan Kaczmarek, PE
de maximis, inc.
186 Center Street, Suite 290
Clinton, NJ 08809
(O) (908) 735-9315
(C) (973) 978-9621